

REMARKS

The foregoing amendments to the Specification are clerical in nature and do not add new matter. In particular, support for the amendment to Specification pages 18, 20, 49, 50, 52 and 54, changing reference number 30 to recite reference number 39, is found at least in Fig. 1 as originally filed.

The amendments to two paragraphs on page 22 correct the reference number for LJPU to consistently be reference number 30 and correct duplicate use of reference numbers 32 and 38. Support for reciting LJPU 30 is found at least on Specification page 22, lines 3 and 7 as originally filed. Support for proper use of reference numbers 32 and 38 is found at least in Fig. 7 as originally filed.

The amendment to Specification page 36, line 5 corrects duplicate use of the reference number 374. Support for the correct use of the reference number 374 is found at least on specification page 35, line 21 with regard to LJPU Boot/Init.

The amendment to Specification page 41 removes duplication of the phrase "as in" in the same line.

Acceptance is respectfully requested.

The amendments to the figures do not introduce new matter and are supported as discussed above. The attached replacement sheets incorporate the foregoing amendments to the drawings. Acceptance is respectfully requested.

A Supplemental Information Disclosure Statement (IDS) is being filed concurrently herewith. Entry of the IDS is respectfully requested.

CONCLUSION

In view of the above amendments and remarks, Applicants respectfully request that the application be examined. If the Examiner feels that a telephone conference would expedite prosecution of this case, the Examiner is invited to call the undersigned.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By Mary Lou Wakimura
Mary Lou Wakimura
Registration No. 31,804
Telephone: (978) 341-0036
Facsimile: (978) 341-0136

Concord, MA 01742-9133

Dated: 1-12-04




FIG. 1

Application No. 10/666,729
Annotated Marked-Up Drawings




Fig. 3

Fig. 21A
JPU SOFTWARE COMPONENT DIAGRAM




Fig. 21A




Fig. 4B

